

7. Literatur:

- Anfinsen, C. B.**, 1973, Principles that govern the folding of protein chains. *Science* 181:223-230
- Appel, R. D., A. Bairoch, D. E. Hochstrasser** 1994, A new generation of information retrieval tool for biologists, the example of the ExPASy WWW server. *Trends Biochem Sci.* 19:258-2260
- Arguelles, J. C., M. Gacto** 1986, Comparative study of two trehalases from *Candida utilis*. *Microbiologia* 2:105-114
- Arkowitz, R. A., W. Wickner** 1994, SecD and SecF are required for the proton electrical gradient stimulation of preprotein translocation. *EMBO J.* 13:945-963
- Aslund, F., K. Nordstrand, K. D. Berndt, M. Nikkola, T. Bergmann, H. Postingl, H. Jörnvall, G. Otting, A. Holmgren** 1996, Glutaredoxin-3 from *Escherichia coli*. *J. Biol. Chem.* 271:6736-6745
- Aslund, F., B. Ehn, A. Miranda-Vizueté, C. Pueyo, A. Holmgren** 1994, Two additional glutaredoxins exist in *Escherichia coli*: Glutaredoxin 3 is a hydrogen donor for ribonucleotide reductase in a thioiredoxin/glutaredoxin 1 double mutant. *Proc. Natl. Acad. Sci. USA* 91:9813-9817
- Ausubel, F. R., R. Brent, R. E. Kingst** 1989, Short protocols in molecular biology, Greene Publishing Associates and J. Wiley and son, New York
- Banexy, F., G. Georgiou** 1991, Construction and characterization of *Escherichia coli* strains deficient in multiple secreted proteases: Protease III degrades high molecular weight substrates *in vivo*. *J. Bacteriol.* 173:2696-2703
- Bardwell, J. C., J. O. Lee, G. Jander, N. Martin, D. Belin, J. Beckwith** 1993, A pathway for disulfide bond formation *in vivo*. *Proc. Nat. Acad. Sci. USA.* 90:1038-1042
- Bardwell, J. C., K. McGovern, J. Beckwith** 1991, Identification of a protein required for disulfide bond formation *in vivo*. *Cell* 67:581-589
- Bass, S., Q. Gu, A. Christen** 1996, Multicopy suppressors of Prc mutant *Escherichia coli* include two HtrA (degP) protease homologs (HhoAB), DskA, and a truncated RlpA. *J. Bacteriol.* 178:1154-1161
- Bassilana, M., W. Wickner** 1993, Purified *Escherichia coli* preprotein translocase catalyzes multiple cycles of precursor protein translocation. *Biochemistry* 32:2626-2630
- Bedouelle, H., P. Duplay** 1988, Production in *Escherichia coli* and one-step purification of bifunctional hybrid proteins which bind maltose. Export of the Klenow polymerase into the periplasmic space. *Eur. J. Biochem.* 171:541-549
- Bhumiratana, A., R. L. Anderson, R. N. Costilow** 1974, Trehalose metabolism in *Bacillus propyliae*. *J. Bact.* 119:484-493
- Bieker-Brady, K., T. J. Silhavy** 1992, Suppressor analysis suggests a multi-step, cyclic mechanism for protein secretion in *Escherichia coli*. *EMBO J.* 11:3165-3174
- Blattner, F., G. Plunkett, C. A. Bloch, N. T. Perna, V. Burland, M. Riley, J. Collado-Vides, J. D. Glasner, C. K. Rode, G. F. Mayhew, J. Gregor, N. W. Davis, H. A. Kirkpatrick, M. A. Goeden, D. J. Rose, B. Mau, Y. Shao** 1997, The complete genome sequence of *Escherichia coli* K-12. *Science* 277:1453-1462
- Blondel, A., H. Bedouelle** 1990, Export and purification of a cytoplasmic dimeric protein by fusion to the maltose-binding protein of *Escherichia coli*. *Eur. J. Biochem.* 193:325-330

- Blond-Elguindy, S., S. E., Cwirla, W. J. Dower, J. Lipshutz, S. R., Sprang, J. F. Sambrook, M. J. Gething** 1993, Affinity panning of a library of peptides displayed on bacteriophages reveals the binding specificity of Bip. *Cell* 75:717-728
- Bochner, B. R., H. Huang, G. L. Schieven, B. N. Ames** 1980, Positive selection for loss of tetracyclin resistance. *J. Bacteriol.* 2:926-933
- Bolivar, F., R. L. Rodriguez, P. J. Green, M. C. Bertlach, H. L. Heynecker, H. W. Boyner** 1977, Construction and characterisation of new cloning vehicles. A multi purpose cloning system. *Gene* 2:95-113
- Boos, W., U. Ehmman, E. Bremer, A. Middendorf, P. Postma** 1987, Trehalase of *Escherichia coli*. Mapping and cloning of its structural gene and identification of the periplasmic protein induced under high osmolarity growth conditions. *J. Biol. Chem.* 262:13212-13218
- Boos, W., U. Ehmman, H. Forkl, W. Klein, M. Rimmele, P. Postma** 1990, Trehalose transport and metabolism in *Escherichia coli*. *J. Bacteriol.* 172:3450-3461
- Bovell, C. R., L. Packer, R. Helgerson** 1963, Permeability of *Escherichia coli* to organic compounds and inorganic salts measured by light scattering. *Biochim. Biophys. Acta* 75:257-266
- Bowden, G. A., Baneyx, F., G. Georgiou** 1992, Abnormal fractionation of β -Lactamase in *Escherichia coli*: evidence for an interaction with the inner membrane in the absence of the leader peptide. *J. Bacteriol.* 174:3407-3410
- Boyd, D., C. Manoil, J. Beckwith** 1987, Determinants of membrane protein topology. *Proc. Natl. Acad. Sci.* 84:8525-8529
- Bradford, M. M** 1976, A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Analyt. Biochem.* 72:248-254
- Brass, J. M., C. F. Higgins, M. Foley, P. A. Rugman, J. Birmingham, P. B. Garland** 1986, Lateral diffusion of proteins in the periplasm of *Escherichia coli*. *J. Bacteriol.* 165:787-794
- Breukink, E., R. A. Demel, G. de Korte-Kool, B. deKruijff** 1992, SecA insertion into phospholipids is stimulated by negatively charged lipids and inhibited by ATP: a monolayer study. *Biochemistry* 31:1119-1124
- Buchner, J., M. Schmidt, M. Fuchs, R. Jaenicke, R. Rudolph, F. X. Schmid** 1991, GroE facilitates refolding of citrate synthase by suppressing aggregation. *Biochemistry* 30:1586-1591
- Calamita, G., W. R. Bishai, G. M. Preston, W. B. Guggino, P. Arge** 1995, Molecular cloning and characterization of AqpZ, a water channel from *Escherichia coli*. *J. Biol. Chem.* 270:29063-29066
- Callebaut, I., J. P. Mornon** 1995, Trigger factor, one of the *Escherichia coli* chaperone proteins, is an orig. member of the FKBP family. *FEBS letters* 374:211-215
- Carpenter, J. F., S. J. Prestrelsky, T. Arakawa** 1993, Separation of freezing- and drying-induced denaturation of lyophilized proteins using stress-specific stabilization. 1. Enzyme activity and calorimetric studies. *Arch. Biochem. Biophys.* 303:456-464
- Casbadan, M. J.** 1976, Transposition and fusion of the *lac* genes to selected promoters in *Escherichia coli* using bacteriophage lambda and Mu. *J. Mol. Biol.* 104:541-555
- Cayley, S. B. A. Lewis, H. J. Guttman, T. M. Record** 1991, Characterization of the cytoplasm of *Escherichia coli* K-12 as a function of external osmolarity: implications for protein-DNA interactions *in vivo*. *J. Mol. Biol.* 222:281-300

- Chen, C. C., W. J. Guo, K. J. Isselbacher** 1987, Rat intestinal trehalase. Studies of the active site. *Biochem. J.* 247:715-724
- Chen, R., U. Henning** 1996, A periplasmic protein (Skp) of *Escherichia coli* selectively binds a class of outer membrane proteins. *Mol. Microbiol.* 19:1287-1294
- Chung, C. T., S. L. Niemela, R. H. Miller** 1989, One-step preparation of competent *Escherichia coli*: Transformation and storage of bacterial cells in the same solution. *Proc. Natl. Acad. Sci. USA* 86:2172-2175
- Claros, M. G., G. von Heijne**, 1994, TopPred II: an improved software for membrane protein structure predictions. *Comput. Appl. Biosci.* 10:685-686
- Cleland, J. L., C. Hedgepeth, D. I. C. Wang** 1992, Polyethylene glycol enhanced refolding of bovine carbonic anhydrase B. *J. Bacteriol. Chem.* 267:13327-13334
- Cleland, J. L., D. I. C. Wang** 1990, Refolding and aggregation of bovine carbonic anhydrase B: quasi-elastic light scattering analysis. *Biochemistry* 29:11072-11078
- Collier, D. N., P. R. Bassford** 1989, Mutations that improve export of maltose-binding protein in SecB⁻ cells of *Escherichia coli*. *J. Bacteriol.* 171:4640-4647
- Collier, D. N., V. A. Bankaitis, J. B. Weis, P. R. Bassford** 1988, The antifolding activity of SecB promotes the export of the *E. coli* maltose-binding protein. *Cell* 53:273-283
- Conlin, S. T., N. J. Trun, T. J. Silhavy, C. G. Miller** 1992, *Escherichia coli prlC* encodes an endopeptidase and is homologous to the *Salmonella thyphimurium odpA* gene. *J. Bacteriol.* 174:5881-5887
- Cover, W. H., J. P. Ryan, P. J. Bassford, K. A. Walsh, J. Bolinger, L. L. Randall** 1987, Suppression of a signal sequence mutation by an amino acid substitution in the mature portion of the maltose-binding protein. *J. Bacteriol.* 169:1794-1800
- Crowe, J. H., M. A. Wittam, D. Capman, L. M. Crowe** 1984, Interactions of phospholipid monolayers with carbohydrates. *Biochim. Biophys. Acta* 769:151-159
- Csonka, L. N., W. Epstein** 1996, Osmoregulation. in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., second edition:11212-1217
- Dalbey, R. E., G. von Heijne** 1992, Signal peptidases in procaryotes and eucaryotes - a new peptidase family. *Trends Biochem. Sci.* 17:474-478
- Darnell, J., H. Lodish, D. Baltimore** 1986, *Molecular cell biology*. New York, Freeman
- Derman, A. I., J. Beckwith** 1995, *Escherichia coli* alkaline phosphatase localized to the cytoplasm slowly acquires enzymatic activity in cells whose growth has been suspended: a caution for gene fusion studies. *J. Bacteriol. Chem.* 177:3764-3770
- Derman, A. I., J. W. Puzis, P. J. Jr. Bassford, J. Beckwith** 1993a, A signal sequence is not required for protein export in *prlA* mutants of *Esch. coli*. *EMBO J.* 12:879-888
- Derman, A. I., W. Prinz, D. Belin, J. Beckwith** 1993b, Mutations that allow disulfid bond formation in the cytoplasm of *Escherichia coli*. *Science.* 262:1744-1747
- Derman, A. I., J. Beckwith** 1991, *Escherichia coli* alkaline phosphatase fails to acquire disulfide bonds when retained in the cytoplasm. *J. Bacteriol.* 173:7719-7722
- Dinnbier, U., E. Limpinsel, R. Schmid, E. P. Bakker** 1988, Transient accumulation of potassiumglutamate and its replacement by trehalose during adaption of growing cells of *Escherichia coli* K-12 to elevated sodium chlorid concentrations. *Arch. Microbiol.* 150:348-357
- Driessen, A. J.** 1992, Bacterial protein translocation: kinetic and thermodynamic role of ATP and the proton motive force. *Trends Biochem. Sci.* 17:219-223

- Elbein, A. D.** 1974, The metabolism of α,α -Trehalose. *Adv. Carbohydr. Chem. Biochem.* 30:227-256
- Ellis, R. S. M. Hemmingsen** 1989, Molecular chaperones: proteins essential for the biogenesis of some macromolecular structures. *Trends Biochem. Sci.* 14:339-342
- Elslinger, M. A., L. Dallaire, M. Potier** 1993, Fetal intestinal and renal origins of trehalase activity in human amniotic fluid. *Clin. Chim. Acta* 216:91-102
- Emr, S. D., P. J. Jr. Bassford** 1982, Localization and processing of outer membrane and periplasmic proteins in *Escherichia coli* strains harbouring export specific suppressor mutations. *J. Biol. Chem.* 257:5852-5860
- Engelman, D. M., T. A. Seitz, A. Goldman** 1986, Identifying nonpolar transbilayer helices in amino acid sequences of membrane proteins. *Ann. Rev. Biophys. Chem.* 15:321-353
- Erni, B., B. Zanolari** 1985, The mannose-permease of the bacterial phosphotransferase system: gene cloning and purification of the enzyme II^{Man}/ III^{Man} complex of *Escherichia coli*. *J. Biol. Chem.* 260:15495-15503
- Finch, P. W., R. E. Wilson, K. Brown, I. D. Hickson, P. T. Emmerson** 1986, Complete nucleotide sequence of the *Escherichia coli ptr* gene encoding protease III. *Nucleic Acids Res.* 14:7695-7703
- Fitts, R., Z. Reuveny, J. van Amsterdam, J. Mulholland, D. Botstein** 1987, Substitution of tyrosine for either cysteine in β -lactamase prevents release from the membrane during secretion. *Proc. Natl. Acad. Sci. USA* 84:8540-8543
- Flower, A. M., R. C. Doebele, T. Silhavy** 1994, PrlA and PrlG suppressors reduce the requirement for signal sequence recognition. *J. Bacteriol.* 176:5607-5614
- Flynn, G. C., J. Pohl, M. T. Flocco, J. E. Rothmann** 1991, Peptide-binding specificity of the molecular chaperone Bip. *Nature* 353:726-730
- Freudl, R., H. Schwarz, S. Kramps, I. Hindennach, U. Henning** 1988, Dihydrofolate reductase (mouse) and β -Galactosidase (*Escherichia coli*) can be translocated across the plasma membrane of *E. coli*. *J. Biol. Chem.* 263:17084-17082
- Galand, G.** 1989, Brush border membrane sucrase-isomaltase, maltase-glucoamylase, and trehalase in mammals. *Comp. Biochem. Physiol.* 94B:1-11
- Gardel, C., K. Johnson, A. Jacq, J. Beckwith** 1990 The *secD* locus of *E. coli* codes for two membrane proteins required for protein export. *EMBO J.* 9:3209-3216
- Giaever, H. M., O. B. Styrvold, I. Kaasen, A. Strom** 1988, Biochemical and genetic characterization of osmoregulatory trehalose synthesis in *Escherichia coli*. *J. Bacteriol.* 170:2841-2849
- Gilbert, H. F.** 1993, Protein folding. Oxford: Oxford press.
- Gill, S. C., H. P. von Hippel** 1989, Calculation of protein extinction coefficients from amino acid sequence data. *Analyt. Biochem.* 182:319-326 Erratum in *Analyt. Biochem.* (1990) 189:238
- Globoulinoff, P., J. T. Christeller, A. A. Gatenby, G. H. Lorimer** 1989, Reconstitution of active dimeric ribulose biphosphate carboxylase from an unfolded state depends on two chaperoin proteins and MgATP. *Nature* 342:884-889
- Goldstein, J., S. Lehnhardt, M. Inouye** 1990, Enhancement of protein translocation across the membrane by specific mutations in the hydrophobic region of the signal peptide. *J. Bacteriol.* 172:1225-1235
- Gouzi, J., F. Corpet, D. Kahn** 1996, Graphical interface for ProDom domain families. *TIBS* 21:493

- Greenberg, J. T., B. Demple** 1986, Glutathione in *Escherichia coli* is dispensable for resistance to H₂O₂. *J. Bacteriol.* 168:1026-1029
- Gussin, A. E. S., S. H. McCormack, L. Y. L. Waung, D. S. Gluckin** 1969, Trehalase: a new pollen enzyme. *Plant Physiol.* 44:1163-1168
- Gutierrez, C., A. Maryvonne, E. Bremer, A. Middendorf, W. Boos** 1989, Analysis and DNA sequence of the osmoregulated *treA* gene encoding the periplasmic trehalase of *Escherichia coli* K12. *Mol. Gen. Genet.* 217:347-354
- Guzman, L. M., D. Belin, M. J. Carson, J. Beckwith** 1995, Tight regulation, modulation, and high-level expression by vectors containing the arabinose PBAD promoter. *J. Bacteriol.* 177:4121-4130
- Hardy, S. J., Randall, L. L.** 1991, A kinetic partitioning model of selective binding of nonnative proteins by the bacterial chaperone SecB. *Science* 251:439-443
- Harris, S. D., D. A. Cotter** 1988, Transport of yeast vacuolar trehalase to the vacuole. *Can. J. Microbiol.* 34:835-838
- Hartl, F.-U., S. Lecker, E. Schiebel, W. Wichner** 1990, The binding cascade of SecB to SecA to SecY/E mediates preprotein targeting to the *E. coli* plasma membrane. *Cell* 63:269-279
- Hartmann, C. M., P. Christen, R. Jaussi** 1991a, Mitochondrial protein charge. *Nature* 352:762-763
- Hartmann, C. M., J. M. Lindemann, P. Christen, R. Jaussi** 1991b, The precursor of mitochondrial aspartate aminotransferase is imported into mitochondria faster than the homologous cytosolic isoenzyme with the same presequence attached. *Biochem. Biophys. Res. Commun.* 174:1232-1238
- Hartmann, E., T. Sommer, S. Prehn, D. Goerlich, S. Jentsch, T. Rapoport** 1994, Evolutionary conservation of components of the protein translocation apparatus. *Nature* 367:654-657
- Hayano, T., N. Takahashi, S. Kato, N. Maki, M. Suzuki** 1991, Two distinct forms of peptidylprolyl-*cis-trans*-isomerase are expressed separately in periplasmic and cytoplasmic compartments of *Escherichia coli*. *Biochemistry* 30:3041-3048
- Hendrick, J. P., W. Wickner** 1991. SecA protein needs both acidic phospholipids and SecY/E protein for functional high affinity binding to the *Escherichia coli* plasma membrane. *J. Biol. Chem.* 266:24596-24600
- Hengge-Aronis, R.** 1996, Regulation of gene expression during entry into stationary phase, in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., 2nd edition:1497-1512
- Hengge-Aronis, R., W. Klein, R. Lange, M. Rimmele, W. Boos** 1991, Trehalose synthesis genes are controlled by the putative sigma factor encoded by *rpoS* and are involved in stationary-phase thermotolerance in *Escherichia coli*. *J. Bacteriol.* 173:7918-7924
- Henrissat, B., A. Bairoch** 1993, New families in the classification of glycolylhydrolases based on amino acid sequence similarities. *Biochem. J.* 293:781-788
- Hershkovitz, N., A. Oren, Y. Cohen** 1991, Accumulation of trehalose and sucrose in cyanobacteria exposed to matric water stress. *Appl. Environm. Microbiol.* 57:645-648
- Hesterkamp, T., S. Hauser, H. Lutcke, B. Bukau** 1996, *Escherichia coli* trigger factor is a prolyl isomerase that associates with nascent polypeptide chains. *Proc. Natl. Acad. Sci. USA* 93:4437-4441
- Holmgren, A.** 1989, Thioredoxin and glutaredoxin systems. *J. Bacteriol. Chem.* 264:13963-13966

- Holmgren, A.** 1979, Reduction of disulfides by thioredoxin. *J. Bacteriol. Chem.* 254:9113-9119
- Horlacher, R., K. Uhland, W. Klein, M. Ehrmann, W. Boos** 1996, Characterization of a cytoplasmic trehalase of *Escherichia coli*. *J. Bacteriol.* 178: 6250-6257
- Horlacher, R.** 1996, TreR, der Regulator des Trehalosesystems von *Escherichia coli* K-12. Fak. für Biologie, Universität Konstanz. Konstanz
- Horwich A. L., K. B. Low, W. A. Fenton. I. N. Hirshfield, K. Furtal** 1992, Folding *in vivo* of bacterial cytoplasmic proteins: role of GroEL. *Cell* 74:909-917
- Hottiger, T., C. De Virgilio, M. N. Hall, T. Boler, A. Wiemken** 1994, The role of trehalose synthesis for the acquisition of thermotolerance in yeast. II. Physiological concentrations of trehalose increase the thermal stability of proteins *in vitro*. *Eur. J. Biochem.* 219:187-193
- Hubbard, T. J. P., C Sander** 1991, The role of heat-shock and chaperone proteins in protein folding: possible molecular mechanisms. *Prot. Engineering* 4:711-717
- Hwang, C., A. J. Sinskey, H. F. Lodish** 1992, Oxidized redox state of glutathione in the endoplasmic reticulum, *Science* 257:1496-1502
- Ito, K., J. R. Beckwith** 1981, Role of the mature protein sequence of maltose binding protein in its secretion across the *E. coli* cytoplasmic membrane. *Cell* 25:143-150
- Jaussi, R.** 1995, Homologous nuclear encoded mitochondrial and cytosolic isoproteins. A review of structure, biosynthesis and genes. *Eur. J. Biochem.* 228:551-561
- Joly, J. C., W. Wickner** 1993, The SecA and SecY subunits of translocase are nearest neighbours of a translocating preprotein, shielding it from phospholipids. *EMBO J.* 12:255-263
- Josefsson, L-G., L. L. Randall** 1981, Different exported proteins in *E. coli* show differences in the temporal mode of processing *in vivo*. *Cell* 25:151-157
- Kaasen, I., J. Mc Dougall, A. R. Strom** 1994, Analysis of the *otsAB* operon for osmoregulatory trehalose synthesis in *Escherichia coli* and homology of the OtsA and OtsB proteins to yeast trehalase-6-phosphate synthase/phosphatase complex. *Gene* 145:9-15
- Kaasen, I., P. Falkenberg, O. B. Styrvold, A. R. Strom** 1992, Molecular cloning and physical mapping of the *otsBA* genes, which encode the osmoregulatory trehalose pathway of *Escherichia coli*: evidence that transcription is activated by KatF (AppR). *J. Bacteriol.* 174:889-898
- Kamitani, S., Y. Akiyama, K. Ito** 1992, Identification and characterization of an *Escherichia coli* gene required for the formation of correctly folded alkaline phosphatase, a periplasmic enzyme. *EMBO J.* 11:57-62
- Kennedy, E. P.** 1996, Membrane-derived oligosaccharides (Periplasmic Beta-D-Glucans) of *Escherichia coli*. in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., second edition:1064-1071
- Klein, W., R. Horlacher, W. Boos** 1995, Molecular analysis of *treB* encoding the *Escherichia coli* enzyme II specific for trehalose. *J. Bacteriol.* 177:4043-4052
- Klein, W.** 1995, Charakterisierung des Trehalose-spezifischen Enzym II^{Tre} des Phosphotransferasesystems von *Escherichia coli* und dessen Einfluß auf die Regulation des Trehalosestoffwechsels. Fak. für Biologie, Universität Konstanz
- Klein, W., W. Boos** 1993, Induction of the λ receptor is essential for effective uptake of trehalose in *Escherichia coli*. *J. Bacteriol.*, 175: 1682-1686

- Klein, W., U. Ehman, W. Boos** 1991, The repression of trehalose transport and metabolism in *Escherichia coli* by high osmolarity is mediated by trehalose-6-phosphat phosphatase. Res. Microbiol. 142:359-371
- Knippers, R.** *et al., 1990, Molekulare Genetik. Thieme Verlag
- Koch, A.** 1984, Shrinkage of growing *E. coli* cells by osmotic challenge. J. Bacteriol. 159:919-9924
- Kosower, N. S., E. M. Kosower** 1978, The glutathion status of the cell. Int. Rev. Cytol. 54:109-160
- Krause, G., J. Lundström, J. Lopez Barea, C. Pueyo de la Cuesta, A. Holmgren** 1991, Mimicking the active site of protein disulfide isomerase by substitution of proline 34 in *Escherichia coli* thioredoxin. J. Bacteriol. Chem. 266:9494-9500
- Kumamoto, C. A., Francetic** 1993, Highly selective binding of nascent polypeptides by an *Escherichia coli* chaperone *in vivo*. J. Bacteriol. 175:2184-2188
- Kusukawa, N., T. Yura, C. Ueguchi, Y. Akiyama, K. Ito** 1998, Effects of mutations in heat shock genes *groES* and *groEL* on protein export in *Escherichia coli*. EMBO J. 8:3517-3521
- Lain, B., A. Iriarte, J. R. Mattingly, J. I. Moreno, M. Martinez-Carrion** 1995, Structural features of the precursor to mitochondrial aspartat aminotransferase responsible for binding to hsp70. J. Biol. Chem. 270:24732-24739
- Lamiet, A. A., A. Plückthun** 1989, The precursor of β -lactamase: purification, properties and folding kinetics. EMBO J. 8:1469-1477
- Laemmli, U. K.** 1970, Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227:680-685
- Landry, S. J., L. M. Gierasch** 1991, The chaperoin GroEL binds a polypeptide in an alpha-helical conformation. Biochemistry 30: 7359-7362
- Landry, S. J., R. Jordan, R. McMacken, L. M. Gierasch** 1992, Different conformations for the same polypeptid bound to chaperones DnaK und GroEL. Nature 355:455-457
- Lange, R., R. Hengge-Aronis** 1994, The cellular concentration of the sigma^S subunit of RNA polymerase in *Escherichia coli* is controlled at the levels of transcription, translation, and protein stability. Genes&Development 8:1600-1612
- Langer, T., C. Lu, H. Echols, J. Flanagan, M. K. Hayer, F-U. Hartl** 1992, Successive action of DnaK, DnaJ and GroEL along the pathway of chaperone mediated protein folding. Nature 356:683-689
- Larsen, P. I., K. L. Sydnes, B. Landfald, A. R. Strom** 1987. Osmoregulation in *Escherichia coli* by accumulation of organic osmolytes: betaines, glutamic acid and trehalose. Arch. Microbiol. 147:1-7
- Lazar, S. W., R. Kolter** 1996, SurA assists the folding of *Escherichia coli* outer membrane proteins. J. Bacteriol. 178:1770-1773
- Lee, C., P. Li, H. Inouye, J. Beckwith** 1989, Genetic studies on the inability of β -galactosidase to be translocated across the *E. coli* cytoplasmic membrane. J. Bacteriol. 171:4609-4616
- Levebre, Y. A., R. E. Huber** 1970, Solubilization, purification and some properties of trehalase from honeybee (*Apis melliferae*). Arch. Biochem. Biophys. 140:514-518
- Li, P., J. Beckwith, H. Inouye** 1988, Alteration of the amino terminus of the mature sequence of a periplasic protein can severely affect protein export in *Escherichia coli*. Proc. Natl. Acad. Sic. USA. 85:7685-7689

- Lill, R., W. Dowhan, W. Wickner** 1990, The ATPase of SecA is regulated by acidic phospholipids, SecY, and the leader and mature domains of precursor proteins. *Cell* 60:271-280
- Lipinska, B., S. Sharma, C. Georgopoulos** 1988, Sequence analysis and regulation of the *htrA* gene of *Escherichia coli*: a σ^{32} -independent mechanism of heat-inducible transcription. *Nucleic Acids Res.* 16:1053-10067
- Lipinska, B., M. Zylicz, C. Georgopoulos** 1990, The HtrA (DegP) protein, essential for *Escherichia coli* survival at high temperatures, is an endopeptidase. *J. Bacteriol.* 172:1791-1797
- Lippert, K., E. A. Galinski, H. G. Truper** 1993, Biosynthesis and function of trehalose in *Ectothiorhodospira halochloris*. *Antonie van Leeuwenhoek* 63:85-91
- Liu, G., C. T. Walsh** 1990, Peptidyl-Prolyl-*cis-trans*-isomerase from *Escherichia coli*: a periplasmic homolog of cyclophilin that is not inhibited by Cyclosporin A. *Proc. Natl. Acad. Sci. USA* 87:4028-4032
- Liu, G., T. B. Topping, L. L. Randall.** 1989, Physiological role during export for the retardation of folding by the leader peptide of maltose-binding protein. *Proc. Natl. Acad. Sci. USA* 86:9213-9217
- Liu, G., T. B. Topping, W. H. Cover, L. L. Randall.** 1988, Retardation of folding as a possible means of suppression of a mutation in the leader sequence of an exported protein. *J. Biol. Chem.* 263:14790-14793
- Lund, A. H., M. Duch, F. S. Pedersen** 1996, Increased cloning efficiency by temperature-cycle ligation. *Nucl. Acids Res.* 24:800-801
- MacIntyre, S., U. Henning** 1990, The role of the mature part of secretory proteins in translocation across the plasma membrane and in regulation of their synthesis in *Escherichia coli*. *Biochimie* 72:157-167
- MacIntyre, S., R. Freudl, M. Degen, I. Hindennach, U. Henning** 1987, The signal sequence of an *Escherichia coli* outer membrane protein can mediate translocation of a not normally secreted protein across the plasma membrane. *J. Biol. Chem.* 262:8416-8422
- Macpherson, A. J. S. , M. C. Jones-Mortimer, P. Horne, P. J. F. Henderson** 1983, Identification of the GalP galactose transport protein of *Escherichia coli*. *J. Biol. Chem.* 258:4390-4396
- Maeda, Y., H. Yamada, T. Udea, T. Imoto** 1996, Effect of additives on the renaturation of red. lysozyme in the presence of 4M urea. *Protein Engineering* 9:461-465
- Maloy, S. R., W. D. Nunn** 1981, Selection for loss of tetracycline resistance by *Escherichia coli*. *J. Bacteriol.* 145:1110-1112
- Maniatis, T., E. F. Fritsch, J. Sambrook** 1982, Molecular cloning: A laboratory manual. Cold Spring Harbour Laboratory Press. Cold Spring Harbour. New York
- Manoil, C., J. Beckwith** 1986, A genetic approach to analyzing membrane protein topology. *Science.* 233:1403-1408
- Marechal, L. R., E. Belocopitow** 1970, Trehalose phosphorylase from *Euglena gracilis*. *Biochem. Biophys. Acta.* 198:151-154
- Marechal, L. R., E. Belocopitow** 1972, Metabolism of trehalose in *Euglena gracilis*. *J. Biol. Chem.* 247:3223-3228
- Martin, J., T. Langer, R. Botewa, A. Schramel, A. I. Horwich, F. U. Hartl** 1991, Chaperonin-mediated protein folding at the surface of GroEL through a molten globule-like intermediate. *Nature* 352:36-42

- Matsuyama, S-I., Y. Fujita, S. Mizushima** 1993, SecD is involved in the release of translocated secretory proteins from the cytoplasmic membrane of *Escherichia coli*. EMBO J. 12:265-270
- Mattingly, J. R., A. Iriarte, M. Martinez-Carrion** 1995, Homologous proteins with different affinities for groEL. J. Biol. Chem. 270:1138-1148
- Mayhew, M., F-U. Hartl** 1996, Molecular chaperone proteins. in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., second edition : 922-937
- McLaggan, D, J. Naprstek, E. T. Buurman, W. Epstein** 1994, Interdependence of K⁺ and glutamate accumulation during osmotic adaption of *Escherichia coli*. J. Biol. Chem. 269:1911-1917
- Mendoza, J. A., E. Rogers, G. H. Lorimer, P. M. Horowitz** 1991a, Unassisted refolding of urea unfolded rhodanese. J. Biol. Chem. 266:13587-13591
- Mendoza, J. A., E. Rogers, G. H. Lorimer, P. M. Horowitz** 1991b, Chaperoins facilitate the *in vitro* folding of monomeric mitochondrial rhodanese. J. Biol. Chem. 266:13044-13049
- Meury, J.** 1988, Glycine-betaine reverses the effect of osmotic stress on DNA replication and cellular division in *Escherichia coli*. Arch. Microbiol. 149:232-239
- Michaelis, S., J. F. Hunt, J. Beckwith** 1983, Mutations that alter the signal sequence of alkaline phosphatase in *Escherichia coli*. J. Bacteriol. 154:366-374
- Miller, J. H.** 1972, Experiments in molecular genetics. Cold Spring Harbor Press. Cold Spring Harbor, New York
- Minsky, A., R. G. Summers, J. R. Knowless** 1986, Secretion of β -lactamase into the periplasm of *Escherichia coli*: evidence for a distinct release step associated with a conformational change. Proc. Natl. Acad. Sci. USA 83:4180-4184
- Missiakas, D., C. Georgopoulos, S. Raina** 1994, The *Escherichia coli dsbC (xprA)* gene encodes a periplasmic protein involved in disulfide bond formation. EMBO J. 13:2013-2020
- Missiakas, D., J-M. Betton, S. Raina** 1996 New components of protein folding in extracytoplasmic compartments of *Escherichia coli* SurA, FkpA and SkpA/OmpH Mol. Microbiol. 21:871-884
- Müller, J. P.** 1996, Influence of impaired chaperone or secretion function on SecB production in *Escherichia coli*. J. Bacteriol. 178:6097-104
- Murphy, C. K., J. Beckwith** 1996, Export of proteins to the cell envelope in *Escherichia coli*. in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., second edition:967-978
- Nashiyama, K., S. Mizushima, H. Tokuda** 1993, A novel membrane protein involved in protein translocation across the cytoplasmic membrane of *Escherichia coli*. EMBO J. 12:3409-3415
- Nashiyama, K., M. Hanada, H. Tokuda** 1994, Disruption of the gene encoding p12 (SecE) reveals the direct involvement and important function of SecE in the protein translocation of *Escherichia coli* at low temperature. EMBO J. 13:3272-3277
- Neu, H. C., I. A. Heppel** 1965, The release of enzymes from *Escherichia coli* by osmotic shock and during the formation of spheroplasts. J. Biol. Chem. 240:3685-3692
- Niwa, T., T. Katsuzaki, T. Yazawa, N. Tatemichi, Y. Emoto, T. Miyazaki, K. Maeda** 1993, Urinary trehalase activity in chronic glomerulonephritis. Nephron 63:423-428

- Notley, L., T. Ferency**, 1996, Induction of RpoS-dependent functions in the glucose-limited continuous cultures: What level of nutrient limitation induces the stationary phase of *Escherichia coli*? J. Bacteriol. 178:1465-1468
- Oesch, F., H. Meier** 1967, Trehalose in the cambial sap of *Fagus sylvatica*. L. Phytochemistry 6:1147-48
- Oliver, D. B.** 1996, Periplasm in *Escherichia coli* and *Salmonella*, F. C. Neidhardt et al., second edition:88-103
- Panek, A. C., J. Francois, A. D. Panek** 1988, New insights into a mutant of *Saccharomyces cerevisiae* having impaired sugar uptake and metabolism. Curr. Genet. 13:15-20
- Park, S., G. Liu, T. B. Topping, W. H. Cover, L. L. Randall** 1988, Modulation of folding pathways of exported proteins by the leader sequence. Science 239:1033-1035
- Phoenix, D. A., R. Kusters, C. Hikita, S. Mizushima, B. deKrujiff** 1993, OmpF-Lpp signal sequence mutants with varying charge hydrophobicity ratios provide evidence for phosphatidylglycerol - signal sequence interaction during protein translocation across the *Escherichia coli* inner membrane. J. Biol. Chem. 268:17069-17073
- Pogliano, K. J., J. Beckwith** 1994a, Genetic and molecular characterization of the *Escherichia coli* *secD* operon and its products. J. Bacteriol. 176:804-814
- Pogliano, K. J., J. Beckwith** 1994b, SecD and SecF facilitate protein export in *Escherichia coli*. EMBO J. 13:554-561
- Postma, P. W., Keizer, H. G., Koolwijk** 1986, Transport of trehalose in *Salmonella typhimurium*. J. Bacteriol. 168:1107-1111
- Prinz, W. A., F. Aslund, A. Holmgren, J. Beckwith** 1997, The role of the thioredoxin and glutaredoxin pathway in reducing protein disulfide bonds in the *Escherichia coli* cytoplasm. J. Biol. Chem. 272:15661-15667
- Pugsley, A. P.** 1993, The complete general secretory pathway in *gram*-negative bacteria. Microbiol. Rev. 57:50-108
- Raina, S., D. Missiakas, C. Georgopoulos** 1995, The *rpoE* gene encoding the σ^E (σ^{24}) heat shock sigma factor of *Escherichia coli*. EMBO J. 14:1043-1055
- Randall, L. L., J. S. Hardy** 1995, High selectivity with low specificity: how SecB has solved the paradox of chaperone binding. Trends Biochem. Sci. 20:65-70
- Randall, L. L.** 1992, Peptide binding by Chaperone SecB: implications for recognition of nonnative structure. Science 257:241-245
- Randall, L. L., T. B. Topping, S. J. S. Hardy** 1990, No specific recognition of leader peptide by SecB, a chaperone involved in protein export. Science 248:860-863
- Randall, L. L., J. S. Hardy** 1986, Correlation of competence for export with lack of tertiary structure of the mature species: a study *in vivo* of maltose-binding protein in *E. coli*. Cell, 46:921-928
- Reindl, J., W. Boos** 1991, The *malX malY* operon of *Escherichia coli* encodes a novel enzyme II of the phosphotransferase system recognizing glucose and maltose and an enzyme abolishing the endogenous induction of the maltose system. J. Bacteriol. 173:4862-4876
- Repolia, F., C. Gutierrez** 1991, Osmotic induction of the periplasmic trehalase in *Escherichia coli* K12: characterization of the *treA* gene promoter. Mol. Microbiol. 5:747-755
- Rietsch, A., D. Belin, N. Martin, J. Beckwith** 1996, An *in vivo* pathway for disulfide bond isomerisation in *Escherichia coli*. Proc. Natl. Acad. Sci. USA 93:13048-13053

- Rimmele, M.** 1995, Genetische und biochemische Analyse der Trehalose-6-Phosphat-Hydrolase von *Escherichia coli*. Fak. für Biologie, Universität Konstanz
- Rimmele, M., W. Boos** 1994, Trehalose-6-Phosphate hydrolase of *Escherichia coli*. J. Bact. 176:5654-5664
- Rost, B., C. Sander** 1994a, Conservation and prediction of solvent accessibility in protein families. Proteins 20:216-226
- Rost, B., C. Sander** 1994b, Combining evolutionary information and neutral networks to predict protein secondary structure. Proteins. 19:55-72
- Rost, B., C. Sander, R. Schneider** 1994, PHD - an automatic mail server for protein secondary structure prediction. Comput. Appl. Biosci. 10:53-60
- Rudolph, A. S., J. H. Crowe, L. M. Crowe** 1986, Effect of three stabilizing agents - proline, betaine and trehalose - on membrane phospholipids. Arch. Biochem. Biophys. 245:134-143
- Rusch, S. L., D. A. Kendall** 1994, Transport of an export-defective protein by a highly hydrophobic signal peptide. J. Biol. Chem. 269:1243-1248
- Sambrook, J., E. F. Fritsch, T. Maniatis** 1989, Molecular cloning, 2nd edition, Cold Spring Harbour
- Sanger, F., S. Niklein, A. R. Coulson** 1977, DNA-Sequencing with chain-terminating inhibitors. Proc. Nat. Acad. Sci. USA. 74:5463-5467
- Santoro, M. M., Y. Liu, S. M. A. Khan, L.-H. Hou, D. W. Bolen** 1992, Increased thermal stability of proteins in the presence of naturally occurring osmolytes. Biochemistry 31:5278-5283
- Sasaki, S., S. I. Matsuyama, S. Mitsushima** 1990, *In vitro* kinetic analysis of the role of the positive charge at the amino-terminal region of signal peptides in translocation of secretory protein across the cytoplasmic membrane in *Escherichia coli*. J. Biol. Chem. 265:4358-4363
- Schatz, P., J. Beckwith** 1990, Genetic analysis of protein export in *Escherichia coli*. Annu. Rev. Genet. 24:215-248
- Schleyer, M. R. Schmid, E. P. Bakker** 1993, Transient, specific and extremely rapid release of osmolytes from growing cells of *Escherichia coli* K-12 exposed to hypoosmotic shock. Arch. Microbiol. 160:424-431
- Schmidt, M. J. Buchner** 1992, Interaction of GroEL with an all-beta-protein. J. Biol. Chem. 267:16825-16833
- Schwind, P.**, 1993, Strukturuntersuchungen an filamentösen Phagen mit limitierter Proteolyse. Der Einsatz von mikropräparativer Proteinsequenzierung zur Analyse der räumlichen Struktur von Proteinkomplexen. Fak. für Biologie, Universität Konstanz. Konstanz
- Semenza, G.** 1968 Handbook of physiology. Sect. 5 Aliment. Canal 5:2543-2566
- Silhavy, T. J., M. L. Bermann, L. W. Enquist** 1984, Experiments with gene fusions. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York
- Silhavy, T., J. Brickmann, E. Bassford, P. J., Casadaban, M. J. Shuman, H. A. Schwartz, V. Guarente, L. Schwartz, J. Beckwith** 1979, Structure of the *malB* region in *Escherichia coli* K12. Genetic map of the *malEFG* operon. Mol. Gen. Genet. 174:249-259
- Simon, S. M., G. Blobel** 1992, Signal peptides open protein conducting channels in *Escherichia coli*. Cell 69:677-684

- Skowyra, D. C., C. Georgopoulos, M. Zylicz** 1990, The *E. coli* DnaK gene product, the Hsp70 homologue, can reactivate heat inactivated RNA-polymerase in an ATP-hydrolysis dependent manner. *Cell* 62:939-944
- Sloczewski, J. L., J. W. Foster** 1996, pH-regulated genes and survival at extreme pH. F. C. Neidhardt et al., second edition:1539-1549
- Sofia, H. J., Burland, V., Daniels, D. L., Plunkett, G., F. R. Blattner** 1994, Analysis of the *Escherichia coli* genome.V.DNA sequence of the region from 76.0 to 81,5 minutes. *Nucleic Acids Res.* 22:2576-2586
- Somero, G. N.** 1986, Protons, osmolytes, and fitness of internal milieu for protein function. *Am. J. Physiol.* 251:R197-R213
- Sonnhammer, E. L. L. , D. Kahn** 1994, Modular arrangement of proteins as interferred from analysis of homology. *Protein Sci.* 3:482-492
- Spiess, C.**, 1995, Proteinfaltung und Aktivität einer α -Amylase aus *Escherichia coli*. Fak. für Biologie, Universität Konstanz
- Stackhouse, T. M., J. J. Onuffer, R. Mathews, S. A. Ahmed, E. W. Miles** 1988, Folding of homologous proteins: Conservation of the folding mechanism of the α subunit of tryptophan synthetase from *Escherichia coli*, *Salmonella typhimurium* and five interspecies hybrids. *Biochemistry* 27:824-842
- Staniforth, R. A., A. Cortes, S. G., Burston, T. Atkinson, J. J. Holbrook, A. R. Clarke** 1994, The stability and hydrophobicity of cytosolic and mitochondrial malate dehydrogenases and their relationship to chaperoin-assisted folding. *FEBS Letters* 344:129-135
- Stock, J. B., B. Rauch, S. Roseman** 1977, Periplasmic space in *Salmonella typhimurium* and *Escherichia coli*. *J. Biol. Chem.* 252:7850-7861
- Strom, A. R., P. Falkenberg, B. Landfald** 1986, Genetics of osmoregulation in *Escherichia coli*: uptake and biosynthesis of organic osmolytes. *FEMS Microbiol. Rev.* 39:79-86
- Styrvold, O. B., A. R. Storm** 1991, Synthesis, accumulation, and excretion of trehalose in osmotically stressed *Escherichia coli* K-12 strains: influence of amber suppressors and function of the periplasmic trehalase. *J. Bacteriol.* 173:1187-1192
- Su, Z. H., Y. Sato, O. Yamashita** 1993, Purification, cDNA cloning and northern blot analysis of trehalase of pupal midgut of the silkworm, *Bombyx mori*. *Biochim. Biophys. Acta* 1173:217-224
- Sugimura, K., T. Nishihara** 1988, Purification, characterization, and primary structure of *Escherichia coli* protease VII with specificity for paired basic residues: identity of protease VII and OmpT. *J. Bacteriol.* 170:5625-5632
- Summers, R. G., C. R. Harris, J. R. Knowless** 1989, A conservative amino acid substitution, arginine for lysine, abolishes export of a hybrid protein in *Escherichia coli*. *J. Biol. Chem.* 264:20082-20088
- Szabo, A., T. Langer, H. Schroder, J. Flanagan, B. Bukau, F-U. Hartl** 1994, The ATP hydrolysis-dependent reaction cycle of the *Escherichia coli* Hsp70-System DnaK, DnaJ and GrpE. *Proc. Natl. Acad. Sci. USA* 91:10345-10349
- Szmelcman, S., M. Hofnung** 1975, Maltose transport in *Escherichia coli*: involvement of the bacteriophage lambda receptor. *J. Bacteriol.* 124:112-118
- Tempest, D. W., J. L. Meers, C. M. Brown** 1970, Influence of environment on the content and composition of microbial free amino acid pools. *J. Gen. Microbiol.* 64:171-185

- Teschke, C. M., J. Kim, T. Song, S. Park, C. Park, L. L. Randall** 1991, Mutations that affect the the folding of ribose-binding protein selected as suppressors of a defect in export in *Escherichia coli*. J. Biol. Chem. 266:11789-11796
- Thome, B. M., M. Müller** 1991, Skp is a periplasmic *Escherichia coli* protein requiring SecA and SecY for export. Mol. Microbiol. 5:2815-2821
- Topping, T. B., L. L. Randall** 1994, Determination of the binding frame within a physiological ligand for the chaperone SecB. Protein Sci. 3:730-736
- Tormo, A., M. Almiron, R. Kolter** 1990, *surA*, an *Escherichia coli* gene essential for survival in stationary phase. J. Bacteriol. 172:433-4347
- Tourino-dos-Santos, C. F., N. Bachinsky, V. M. F. Paschoalin, C. L. A. Paiva, J. T. Silva, A. D. Panek** 1994, Periplasmic trehalase of *Escherichia coli*: characterization and immobilisationon spherisorb. Barz. J. Med. Biol. Res. 27:627-636
- Ulbrandt, N. D., J. A. Newitt, H. D. Bernstein** 1997 The *E. coli* signal recognition particle is required for the insertion of a subset of inner membrane proteins. Cell 88:187-196
- van Wielink, J., J. A. Duine** 1990, How big is the periplasmic space? Trends Biochem. Sci. 15:136-137
- von Heijne, G.** 1990, The signal peptide. J. Membr. Biol. 115:195-201
- von Heijne, G.** 1988, Transcending the impenetrable: how proteins come to terms with membranes. Biochim. Biophys. Acta 947:307-333
- von Heijne, G.** 1986, The distribution of positively charged residues in bacterial inner membrane proteins correlates with the trans-membrane topology. EMBO J. 5:3021-3027
- von Heijne, G.** 1984, Analysis of the distribution of charged residues in the N-terminal region of signal sequences: implications for protein export in prokaryotic and eukaryotic cells. EMBO J. 3:2315-2318
- Verner, K., G. Schatz** 1988, Protein transloc. across membr.. Science 241:1307-1313
- Walter, P., R. Gilmore, G. Blobel** 1984, Protein translocation across the endoplasmic reticulum. Cell 38:5-8
- Watanabe, M., G. Blobel** 1989, Cytosolic factor purified from *Escherichia coli* is necessary and sufficient for the export of a preprotein and is a homotetramer of SecB. Proc. Natl. Acad. Sci. USA 86:2728-2732
- Welsh, D. T., R. H. Reed, R. A. Herbert** 1991, The role of trehalose in the osmoadaptation of *Escherichia coli* NCIB 9484: interaction of trehalose, K⁺ and glutamate during osmoadaptation in continuous culture. J. Gen. Microbiol. 137:745-750
- Wilcox, G., K. J. Clemetson, P. Cleary, E. Engelsberg** 1974, Interaction of the regulatory gene product with the operatorsite in the L-Arabinose operon of *Escherichia coli*, J. Mol. Biol. 85:589-602
- Wild, J., E. Altmann, T. Yura, A. C. Gross** 1992, DnaK and DnaJ heat shock proteins participate in protein export in *Escherichia coli*. Genes&Development 6:1165-1172
- Winder, F. G., J. J. Tighe, P. J. Brennan** 1972, Turnover of acylglucose, acyltrehalose and free trehalose during growth of *Mycobacterium smegmatis* on glucose. J. Gen. Microbiol. 73:539-546
- Wülfling, C., A. Plückthun** 1994, Correctly folded T-cell receptor fragments in the periplasm of *Escherichia coli*. Influence of folding catalysts. J. Mol. Biol. 242:655-669
- Wülfling, C., J. Lombardero, A. Plückthun** 1994, An *Escherichia coli* protein consisting of a domain homologous to FK506-binding proteins (FKBP) and a new metal binding motif. J. Biol. Chem. 269:2895-2901

Yancey, P. H., E. Clark, S. C. Hand, R. D. Bowlus, G. N. Somero 1982, Living with water stress: evolution of osmolyte systems. *Science* 217:1214-1227

Zimmermann, A. L. S., H. F. Terenzi, J. A. Jorge 1990, Purification and properties of an extrazellular conidial trehalase from *Humincula grisea* var. *thermoidea*. *Biochim. Biophys. Acta.* 1036:41-46

Zimmermann, S. B., A. P. Minton 1993, Molecular crowding: biochemical, biophysical and biophysiological consequences. *Annu. Rev. Biophys. Biomol. Struct.* 22:27-65