

Ger J Exerc Sport Res 2022 · 52:215–217
<https://doi.org/10.1007/s12662-022-00824-z>
 Accepted: 25 April 2022

© The Author(s) 2022



Birte von Haaren-Mack¹ · Martina Kanning² · Ulrich W. Ebner-Priemer^{3,4} · Markus Reichert^{3,4,5}

¹ Department of Health and Social Psychology, Institute of Psychology, German Sport University Cologne, Cologne, Germany; ² Department of Sports Science, Social and Health Sciences, University of Konstanz, Konstanz, Germany; ³ mental mHealth Lab, Department of Sports and Sports Science, Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany; ⁴ Department of Psychiatry and Psychotherapy, Central Institute of Mental Health, Medical Faculty Mannheim, University of Heidelberg, Mannheim, Germany; ⁵ Department of eHealth and Sports Analytics, Faculty of Sports Science, Ruhr-University Bochum (RUB), Bochum, Germany

“Capturing life as it is lived”— Ambulatory Assessment for physical activity, sport and exercise research

The special issue “Capturing life as it is lived”—Ambulatory assessment for physical activity, sport and exercise” of the *German Journal of Exercise and Sport Research* aims to introduce the Ambulatory Assessment (AA) methodology into exercise, sport and movement science. In brief, AA enables to capture physical behavior data (on physical activity, sedentary behavior, and sleep) and its correlates in humans’ everyday life and in real-time, i.e., at any given moment.

» AA describes a class of methods for data assessment to enable ecologically valid findings

AA is not a novel invention. Rather, the teaser of this special issue “Capturing life as it is lived”—Ambulatory assessment for physical activity, sport and exercise” is inspired by an pioneering AA paper published nearly 20 years ago (Bolger, Davis, & Rafaeli, 2003). Although researchers have applied AA for decades and mainly within psychological studies (e.g., Trull & Ebner-Priemer, 2013), it has just recently gained increasing interest within exercise, sport and movement science (e.g., Reichert et al., 2020b), with the association between physical activity and mood being one of the first research fields investigated by applying AA (e.g.,

Kanning & Schlicht, 2010; Liao, Shonkoff, & Dunton, 2015).

By definition, AA describes a class of methods for data assessment (and interventions) in near real-time and in real-world settings to enable ecologically valid findings (Society for Ambulatory Assessment, 2022). In particular, multiple data assessments across time and within subjects result in so-called intensive longitudinal data (ILD; e.g., Bolger, 2013; Conner & Mehl, 2015). For example, these data allow scientists to garner in-depth insights into within-person associations between physical behavior and behavioral, biological, physiological, as well as psychological factors in the everyday life of humans. Therefore, AA comprises methods such as physical activity monitoring (e.g., via Accelerometry; Burchartz et al., 2020; von Haaren-Mack, Bussmann, & Ebner-Priemer, 2021), physiological function assessment (e.g., via Mobile Electro-Cardiogram; Ebner-Priemer & Kubiak, 2007), contextual sensing (e.g., via geolocation tracking; Tost et al., 2019), and self-reporting via e-diaries (e.g., Ecological Momentary Assessment [EMA] and Experience Sampling Method [ESM]; Trull & Ebner-Priemer, 2009).

Translated to research practice, a prototypical AA study may therefore investigate associations between accelerome-

try-based physical activity and e-diary-based self-reports. Since AA enables researchers to capture physical activity, sport and exercise “as it is” (real-time, real-life, etc.) and within a very broad range of research applications, this method is predestined to advance many subfields of exercise, sport, and movement science beyond traditional study formats. A small pretaste of the AA potential to move exercise, sport, and movement science forward is perfectly demonstrated by the various studies published in this special issue (Table 1). Therewith, the current special issue aims to provide a basis, for example, to combine expertise, to develop shared definitions and to further develop and validate AA in the field of exercise, sport, and movement science.

Of course, like other research methods, AA comes with challenges and limitations that, for example, comprise a time-consuming preprocessing of the ‘big data’, the need for advanced statistical methods such as multilevel models, and devices causing financial costs. However, we argue that the following AA advantages directly benefit research insights in exercise, sport, and movement science as shown by the papers published in this special issue:

Table 1 Papers published in the special issue “Capturing life as it is lived”—Ambulatory assessment for physical activity, sport and exercise research”

Burchartz et al. (2022)	Impact of weekdays versus weekend days on accelerometer measured physical behavior among children and adolescents: Results from the MoMo Study Journal
Fiedler, Seiferth, Eckert, Woll, and Wunsch (2022)	Sleep quality, valence, energetic arousal, and calmness as predictors of device-based measured physical activity during a three-week mHealth intervention: An ecological momentary assessment study within the SMARTFAMILY trial
Hysenllari, Ottenbacher, and McLennan (2022)	Validation of human activity recognition using a convolutional neural network on accelerometer and gyroscope data
Jakowski (2022)	Self-tracking via smartphone app: Potential tool for athletes’ recovery self-management? A survey on technology usage and sleep behaviour
Van Laerhoven, Hoelzmann, Pahmeier, Teti, and Gabrys (2022)	Validation of an open-source ambulatory assessment system in support of replicable activity studies
Nigg, Burchartz, Reichert, Woll, and Niessner (2022)	Children and adolescents do not compensate for physical activity but do compensate for sedentary behavior
Reichert et al. (2022)	The association of stress and physical activity: Mind the ecological fallacy
Schilling et al. (2022)	Does dispositional self-control moderate the association between stress at work and physical activity after work? A real-life study with police officers
Schleitzer, Wirtz, Ross, and Eils (2022)	Development and evaluation of an IMU system for jump detection and jump height estimation in beach volleyball
Utesch, Piesch, Busch, Strauss, and Geukes (2022)	Self-tracking of daily physical activity using Fitbits and the effect of the 10,000 steps goal: A six-week randomized controlled parallel group trial

- Ecological validity of findings is increased through assessments in everyday life,
- Biases of retrospective measurements and recall are decreased through the application of wearables such as smartphones, activity sensors and electronic diaries,
- Within-person/intra-individual investigations across time are added to the traditional between-person/inter-individual level and can be analyzed simultaneously, for example, via multilevel modelling, and
- Contextual factors (e.g., environmental exposures, social contexts) are considered through applying sensing methods such as geolocation-tracking

For the upcoming years, we are convinced that AA offers a huge potential for exercise, sport, and movement science even beyond the evident advantages described above. For example, AA can be combined with laboratory research to uncover (neuro)biological mechanisms (e.g., Reichert et al., 2020a), additional

sensors can be embedded and advances in sensing technologies can be applied (von Haaren et al., 2016), triggered e-diaries can help to optimize assessment strategies (Kanning, Niermann, Ebner-Primer, & Giurgiu, 2021), and ambulatory assessment interventions can enable the integration of experimental manipulation into everyday life (Heron & Smyth, 2010), just to name a few.

Corresponding address



Dr. Birte von Haaren-Mack, PhD
 Department of Health and Social Psychology, Institute of Psychology, German Sport University Cologne
 Cologne, North Rhine-Westphalia, Germany
 b.vonhaaren-mack@dshs-koeln.de



Prof. Dr. Martina Kanning, PhD
 Department of Sports Science, Social and Health Sciences, University of Konstanz
 Konstanz, Baden-Wuerttemberg, Germany
 martina.kanning@uni-konstanz.de



Prof. Dr. Ulrich W. Ebner-Priemer, PhD
 mental mHealth Lab, Department of Sports and Sports Science, Karlsruhe Institute of Technology (KIT)
 Karlsruhe, Baden-Wuerttemberg, Germany
 ulrich.ebner-priemer@kit.edu



JProf. Dr. Markus Reichert, PhD
 Department of eHealth and Sports Analytics, Faculty of Sports Science, Ruhr-University Bochum (RUB)
 Bochum, North Rhine-Westphalia, Germany
 Markus.Reichert@ruhr-uni-bochum.de

Funding. Open Access funding enabled and organized by Projekt DEAL.

Conflict of interest. B. von Haaren-Mack, M. Kanning and M. Reichert declare that they have no competing interests. U. W. Ebner-Priemer has received consultant fees from Boehringer Ingelheim.

Open Access. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the

References

- Bolger, N. & Laurenceau, J.-P. (2013). Intensive longitudinal methods: An introduction to diary and experience sampling research. Guilford Press. <https://ebookcentral.proquest.com/lib/kxp/detail.action?docID=1115201>
- Bolger, N., Davis, A., & Rafaeli, E. (2003). Diary methods: capturing life as it is lived. *Annual Review of Psychology*, 54, 579–616. <https://doi.org/10.1146/annurev.psych.54.101601.145030>.
- Burchartz, A., Anedda, B., Auerswald, T., Giurgiu, M., Hill, H., Ketelhut, S., Kolb, S., Mall, C., Manz, K., Nigg, C. R., Reichert, M., Sprengeler, O., Wunsch, K., & Matthews, C. E. (2020). Assessing physical behavior through accelerometry—state of the science, best practices and future directions. *Psychology of Sport and Exercise*, 49, 101703. <https://doi.org/10.1016/j.psychsport.2020.101703>.
- Burchartz, A., Oriwol, D., Kolb, S., Schmidt, S. C. E., von Haaren, B., Niessner, C., & Woll, A. (2022). Impact of weekdays versus weekend days on accelerometer measured physical behavior among children and adolescents: results from the MoMo-study journal. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00811-4>.
- Conner, T. S., & Mehl, M. R. (2015). Ambulatory assessment: methods for studying everyday life. In R. A. Scott & S. M. Kosslyn (Eds.), *Emerging trends in the social and behavioral sciences: an interdisciplinary, searchable, and linkable resource* (pp. 1–15). Wiley. <https://doi.org/10.1002/9781118900772.etrds0010>.
- Ebner-Priemer, U. W., & Kubiak, T. (2007). Psychological and psychophysiological ambulatory monitoring. *European Journal of Psychological Assessment*, 23(4), 214–226. <https://doi.org/10.1027/1015-5759.23.4.214>.
- Fiedler, J., Seiferth, C., Eckert, T., Woll, A., & Wunsch, K. (2022). Sleep quality, valence, energetic arousal, and calmness as predictors of device-based measured physical activity during a three-week mHealth intervention: An ecological momentary assessment study within the SMARTFAMILY trial. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00809-y>.
- von Haaren, B., Ottenbacher, J., Muenz, J., Neumann, R., Boes, K., & Ebner-Priemer, U. (2016). Does a 20-week aerobic exercise training programme increase our capabilities to buffer real-life stressors? A randomized, controlled trial using ambulatory assessment. *European Journal of Applied Physiology*, 116(2), 383–394. <https://doi.org/10.1007/s00421-015-3284-8>.
- von Haaren-Mack, B., Bussmann, J. B., & Ebner-Priemer, U. W. (2021). Physical activity monitoring. In L. M. Cohen & R. D. Paul (Eds.), *The Wiley encyclopedia of health psychology* (pp. 447–457). John Wiley & Sons. <https://doi.org/10.1002/9781119057840.ch95>.
- Heron, K. E., & Smyth, J. M. (2010). Ecological momentary interventions: Incorporating mobile technology into psychosocial and health behaviour treatments. *British Journal of Health Psychology*, 15(Pt 1), 1–39. <https://doi.org/10.1348/135910709X466063>.
- Hysenllari, E., Ottenbacher, J., & McLennan, D. (2022). Validation of human activity recognition using a convolutional neural network on accelerometer and gyroscope data. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00817-y>.
- Jakowski, S. (2022). Self-tracking via smartphone app: potential tool for athletes' recovery self-management? A survey on technology usage and sleep behaviour. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00812-3>.
- Kanning, M., & Schlicht, W. (2010). Be active and become happy: An ecological momentary assessment of physical activity and mood. *Journal of Sport & Exercise Psychology*, 32(2), 253–261. <https://doi.org/10.1123/jsep.32.2.253>.
- Kanning, M., Niermann, C., Ebner-Priemer, U., & Giurgiu, M. (2021). The context matters—not all prolonged sitting bouts are equally related to momentary affective states: An ambulatory assessment with sedentary-triggered E-diaries. *The International Journal of Behavioral Nutrition and Physical Activity*, 18(1), 106. <https://doi.org/10.1186/s12966-021-01170-3>.
- Liao, Y., Shonkoff, E. T., & Dunton, G. F. (2015). The acute relationships between affect, physical feeling states, and physical activity in daily life: a review of current evidence. *Frontiers in Psychology*, 6, 1975. <https://doi.org/10.3389/fpsyg.2015.01975>.
- Nigg, C., Burchartz, A., Reichert, M., Woll, A., & Niessner, C. (2022). Children and adolescents do not compensate for physical activity but do compensate for sedentary behavior. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00808-z>.
- Reichert, M., Braun, U., Gan, G., Reinhard, I., Giurgiu, M., Ma, R., Zang, Z., Hennig, O., Koch, E. D., Wieland, L., Schweiger, J., Inta, D., Hoell, A., Akdeniz, C., Zipf, A., Ebner-Priemer, U. W., Tost, H., & Meyer-Lindenberg, A. (2020a). A neural mechanism for affective well-being: Subgenual cingulate cortex mediates real-life effects of nonexercise activity on energy. *Science Advances*. <https://doi.org/10.1126/sciadv.aaz8934>.
- Reichert, M., Giurgiu, M., Koch, E., Wieland, L. M., Lautenbach, S., Neubauer, A. B., von Haaren-Mack, B., Schilling, R., Timm, I., Notthoff, N., Marzi, I., Hill, H., Brüßler, S., Eckert, T., Fiedler, J., Burchartz, A., Anedda, B., Wunsch, K., Gerber, M., Jekauc, D., Woll, A., Dunton, G. F., Kanning, M., Nigg, C. R., Ebner-Priemer, U., & Liao, Y. (2020b). Ambulatory assessment for physical activity research: state of the science, best practices and future directions. *Psychology of Sport and Exercise*. <https://doi.org/10.1016/j.psychsport.2020.101742>.
- Reichert, M., Brüßler, S., Reinhard, I., Braun, U., Giurgiu, M., Hoell, A., Zipf, A., Meyer-Lindenberg, A., Tost, H., & Ebner-Priemer, U. W. (2022). The association of stress and physical activity: mind the ecological fallacy. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00823-0>.
- Schilling, R., Cody, R., Ludyga, S., Brand, S., Faude, O., Pühse, U., & Gerber, M. (2022). Does dispositional self-control moderate the association between stress at work and physical activity after work? A real-life study with police officers. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00810-5>.
- Schleitzer, S., Wirtz, S., Ross, J., & Eils, E. (2022). Development and evaluation of an IMU system for jump detection and jump height estimation in beach volleyball. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00822-1>.
- Society for Ambulatory Assessment (2022). <https://ambulatory-assessment.org/>. Accessed 2022/05/03
- Tost, H., Reichert, M., Braun, U., Reinhard, I., Peters, R., Lautenbach, S., Hoell, A., Schwarz, E., Ebner-Priemer, U., Zipf, A., & Meyer-Lindenberg, A. (2019). Neural correlates of individual differences in affective benefit of real-life urban green space exposure. *Nature neuroscience*, 22(9), 1389–1393. <https://doi.org/10.1038/s41593-019-0451-y>.
- Trull, T. J., & Ebner-Priemer, U. W. (2009). Using experience sampling methods/ecological momentary assessment (ESM/EMA) in clinical assessment and clinical research: Introduction to the special section. *Psychological Assessment*, 21(4), 457–462. <https://doi.org/10.1037/a0017653>.
- Trull, T. J., & Ebner-Priemer, U. (2013). Ambulatory assessment. *Annual Review of Clinical Psychology*, 9, 151–176. <https://doi.org/10.1146/annurev-clinpsy-050212-185510>.
- Utesch, T., Piesch, L., Busch, L., Strauss, B., & Geukes, K. (2022). Self-tracking of daily physical activity using Fitbits and the effect of the 10,000 steps goal: A six-week randomized controlled parallel group trial. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00821-2>.
- Van Laerhoven, K., Hoelzmann, A., Pahmeier, I., Teti, A., & Gabrys, L. (2022). Validation of an open-source ambulatory assessment system in support of replicable activity studies. *German Journal of Exercise and Sport Research*. <https://doi.org/10.1007/s12662-022-00813-2>.